



Tubing Inventory Stock List
Dallas Warehouse

June 2009

Single Wall Polyolefin

| | | |
|--|---------------------------|---------------------------------|
| DUNBAR-1635F: | 2:1 Polyolefin - Flexible | ★★ Low Temperature Printable ★★ |
| MIL-DTL-23053/5 Class 1 & 3 (Clear is Class 2) | | Prints On All Thermal Printers |
| Black and Orange | Spools & 4' Lengths | 3/64" - 5" |
| Clear and Yellow | Spools & 4' Lengths | 3/64" - 4" |
| White | Spools & 4' Lengths | 3/64" - 3" |
| Red, Blue and Green | Spools & 4' Lengths | 3/64" - 2" |
| Brown, Yellow/Green Striped | Spools & 4' Lengths | 3/32" - 1½" |
| Gray, Violet | Spools & 4' Lengths | 3/64" - 1" |

| | | |
|-------------------------------|-----------------------------|------------|
| DUNBAR-1635S: | 2:1 Polyolefin - Semi-rigid | |
| MIL-DTL-23053/6 Class 1 & 2 | | |
| Black, Clear & Optional Color | Spools & 4' Lengths | 3/64" - 1" |

| | | |
|----------------------|----------------------------|--------------|
| DUNBAR-1625T: | 2:1 Polyolefin - Thin Wall | |
| UL & CSA Approved | | |
| Black | Spools | 3/64" - 1/4" |

| | | |
|--|---------------------------|----------------------------|
| DUNBAR-3635: | 3:1 Polyolefin - Flexible | |
| MIL-DTL-23053/5 Class 1 & 3 (Clear is Class 2) | | |
| Black, Clear | Spools | 1.5mm - 38mm (1/16" - 1½") |
| White, Red & Yellow | Spools | 3mm - 38mm (1/8" - 1½") |

| | | |
|--|---------------------------|------------------------|
| DUNBAR-4635: | 4:1 Polyolefin - Flexible | |
| MIL-DTL-23053/5 Class 1 & 3 (Clear is Class 2) | | |
| Black: | Spools & 4' Lengths | 12mm - 38mm (½" - 1½") |
| White & Red | Spools | 25mm (1") |



Tubing Inventory Stock List
Dallas Warehouse

June 2009

Dual Wall Polyolefin

DUNBAR-1625W: 2:1 Dual Wall Polyolefin - Flexible
MIL-DTL-23053/4 Class 2

| | | |
|-------------------|------------|---------------|
| Black: | 4' Lengths | 1/8" - 1 1/2" |
| | Spools | 1/8" - 1/2" |
| Red | 4' Lengths | 1" |
| Additional Colors | Spools | Various Sizes |

DUNBAR-3635W: 3:1 Dual Wall Polyolefin - Flexible
MIL-DTL-23053/4 Class 3

| | | |
|-----------------------------|-------------------------------------|---------------|
| Black: | 4' Lengths & spool sizes up to 1/2" | 1/8" - 1 1/2" |
| Red & Clear | 4' Lengths | 1/8" - 1 1/2" |
| White, Yellow, Blue, Green: | 4' Lengths | 3/16" - 1" |

DUNBAR-3625WS: 3:1 Dual Wall Polyolefin - Semi-Rigid
MIL-DTL-23053/4 Class 1

| | | |
|--------|------------|-----------|
| Black: | 4' Lengths | 1/8" - 1" |
|--------|------------|-----------|

DUNBAR-4635WT: 4:1 Dual Wall Polyolefin - Flexible
MIL-DTL-23053/4 Class 3

| | | |
|--------|------------|-------------------------|
| Black: | 4' Lengths | 3/16" - 2" |
| | Spools | 3/16"(4mm) & 5/16"(8mm) |
| Clear: | 4' Lengths | 5/16" (8mm) - 2" (52mm) |

DUNBAR-4635WS: 4:1 Dual Wall Polyolefin - Semi-rigid

| | | |
|----------------|----------------------------|-----------------------|
| Black & Clear: | Spools & Cut to Length | 6mm (#1) & 8mm (#2) |
| | 4' Lengths & Cut to Length | 11mm (#3) & 18mm (#4) |

DUNBAR-4650WS: 4:1 Dual Wall Polyolefin - Semi-rigid - Fully Flame Proof

| | | |
|--------|----------------------------|----------------------------------|
| Black: | Spools & Cut to Length | 6mm (#0) & 8mm (#1) |
| | 4' Lengths & Cut to Length | 11mm (#2), 13mm (#3) & 18mm (#4) |



Tubing Inventory Stock List
Dallas Warehouse

June 2009

Medium & Heavy Wall Polyolefin

DUNBAR-PMWT / PMWT-FR: 3:1 Medium Wall Adhesive Lined Polyolefin
MIL-DTL-23053/15 Class 1 & Class 2

| | | |
|-------|------------|---------------------------|
| Black | 4' Lengths | 7mm (0.3") - 140mm (5.5") |
| Red | 4' Lengths | 7mm (0.3") - 43mm (1.7") |

DUNBAR-PHWT / PHWT-FR: 3:1 Heavy Wall Adhesive Lined Polyolefin
MIL-DTL-23053/15 Class 1 & Class 2

| | | |
|-------|------------|--------------------------|
| Black | 4' Lengths | 7mm (0.3") - 130mm (5") |
| Red | 4' Lengths | 7mm (0.3") - 43mm (1.7") |

DUNBAR-CATV 3:1 Medium Wall Adhesive Lined Polyolefin

| | | |
|-------|------------|----------------|
| Black | 4' Lengths | 0.400" - 2.75" |
|-------|------------|----------------|

Specialty Heat Shrink

DUNBAR-1675: 2:1 Kynar
MIL-DTL-23053/8

| | | |
|--------|------------|------------|
| Clear: | Spools | 3/64" - 1" |
| | 4' Lengths | 3/64" - 1" |
| Black: | 4' Lengths | 3/64" - 1" |

DUNBAR-1650F: 2:1 Flexible Fluoropolymer
MIL-DTL-23053/18 Class 2

| | | |
|--------|--------|------------|
| Black: | Spools | 3/64" - 1" |
| Clear: | Spools | 3/64" - 1" |

DUNBAR-CRFR: 2:1 Neoprene
MIL-DTL-23053/1 Class 1 & Class 2

| | | |
|--------|--------|------------|
| Black: | Spools | 1/8" - 1½" |
|--------|--------|------------|

DUNBAR-DRET: 2:1 Diesel Resistant
MIL-DTL-23053/16

| | | |
|--------|--------|------------|
| Black: | Spools | 1/8" - 1½" |
|--------|--------|------------|



**Tubing Inventory Stock List
Dallas Warehouse**

June 2009

Teflon Tubing

| | | | |
|---|-----------------|------------|----------------|
| FEP: | FEP Heat Shrink | | |
| MIL-DTL-23053/11 Class 1 (1.3:1 heat shrink) | Natural | 4' Lengths | 24 AWG - 0 AWG |
| MIL-DTL-23053/11 Class 2 (1.6:1 heat shrink) | Natural | 4' Lengths | 3/32" - 2" |

| | | | |
|---|------------------|------------|-----------------------------|
| PTFE: | PTFE Heat Shrink | | |
| MIL-DTL-23053/12 Class 2 (2:1 standard wall) | Natural | 4' Lengths | 20 AWG - 0 AWG 1/8" - 1" |
| MIL-DTL-23053/12 Class 3 (2:1 thin wall) | Natural | 4' Lengths | 30 AWG - 0 AWG 1/8" - 1" |
| MIL-DTL-23053/12 Class 4 (2:1 light wall) | Natural | 4' Lengths | 30 AWG - 0 AWG |
| MIL-DTL-23053/12 Class 5 (4:1 shrink ratio) | Natural | 4' Lengths | 5/64" - 1.25" |

| | | | |
|------------------|------------------------|------------|--------------|
| ETFE: | ETFE 1.5:1 Heat Shrink | | |
| MIL-DTL-23053/14 | Natural | 4' Lengths | 3/32" - 1.5" |

| | | | |
|------------------------|-----------------------|-------|----------------|
| PTFE Non-Shrink | PTFE Spaghetti Tubing | | |
| Standard Wall | Natural | coils | 30 AWG - 0 AWG |
| Thin Wall | Natural | coils | 32 AWG - 0 AWG |
| Light Wall | Natural | coils | 32 AWG - 0 AWG |

PVC Non-Shrink Tubing

| | | |
|------------------|----------------------------------|------------|
| VIT- 600: | PVC Tubing (non shrinkable) | |
| UL & CSA | | |
| Black: | Spools, Marked & Unmarked Tubing | 5 AWG - 1" |
